

## IN THE CLAIMS

Please amend the claims as follows.

For the Examiner's convenience, a list of all claims is included below.

1. (Currently Amended)      A method for collecting a time based stream of information in a processing system for generating a presentation, the method comprising:

- A) communicating with an information source having a time based stream of information;
- B) presenting capture information from the time based stream of information on a portion of a display while the capture information is acquired from the information source in a capture mode, the capture mode to import the time based stream of information into the system;
- C) presenting process information for constructing the presentation on the display; and
- D) presenting on the display at least one enabled control element to edit the information while the time based stream of information is imported into the system.

2. (Original)    The method of claim 1, further including capturing the time based stream of information from the information source.

3. (Original) The method of claim 2, wherein the capturing is by an interrupt procedure.
4. (Original) The method of claim 3, wherein the interrupt procedure iterates at the same rate or substantially the same rate as the transfer rate of the time based stream of information.
5. (Canceled)
6. (Original) The method of claim 1, wherein at least one of the enabled control elements is to perform side operations.
7. (Original) The method of claim 1, wherein at least one of the enabled control elements is an output control.
8. (Original) The method of claim 1, wherein the capture information includes a capture output presented at the same rate or substantially the same rate as the transfer rate for the time based stream of information.
9. (Original) The method of claim 1, further including presenting an edit output on the same portion of the display for presenting of capture information.
10. (Original) The method of claim 1, wherein the presenting of capture information is automatic in response to the communicating with the information source.
11. (Currently Amended) A processing system for generating a presentation of a time based stream of information, the system comprising:

A) a capture port for acquiring the time based stream of information;

B) a display device; and

C) a processor coupled to the capture port and to the display device, the processor configured to:

- i) communicate with an information source having a time based stream of information through the capture port;
- ii) present capture information from the time based stream of information on a portion of the display device while the capture information is acquired from the information source in a capture mode, the capture mode to import the time based stream of information into the system;
- iii) present process information for constructing the presentation on the display device; and
- iv) present on the display at least one enabled control element to edit the information while the time based stream of information is imported into the system.

12. (Original) The system of claim 11, wherein the processor is further to capture the time based stream of information from the information source.

13. (Original) The system of claim 12, wherein the capturing is by the processor executing an interrupt procedure.

14. (Original) The system of claim 13, wherein the interrupt procedure iterates at the same rate or substantially the same rate as the transfer rate of the time based stream of information.

15. (Canceled)

16. (Original) The system of claim 11, wherein at least one of the enabled control elements is to perform side operations.

17. (Original) The system of claim 11, wherein the capture information includes a capture output presented the same rate or at substantially the same rate as the transfer rate for the time based stream of information.

18. (Original) The system of claim 11, wherein the processor is further to present an edit output on the same portion of the display for presenting the capture information.

19. (Original) The system of claim 11, wherein the presenting of capture information is automatic in response to the communicating with the information source.

20. (Currently Amended) A processing system for collecting a time based stream of information to generate a presentation comprising:

- (i) means for communicating with an information source having a time based stream of information;
- (ii) means for presenting capture information from the time based stream of information on a portion of the display device while the capture information

is acquired from the information source in a capture mode, the capture mode to import the time based stream of information into the system;

(iii) means for presenting process information for constructing the presentation on the display device; and

(iv) means for presenting on the display at least one enabled control element to edit the information while the time based stream of information is imported into the system.

21. (Original) The system of claim 20, further including a means for capturing the time based stream of information from the information source.

22. (Original) The system of claim 21, wherein the means for capturing is by executing an interrupt procedure.

23. (Previously Presented) The system of claim 22, wherein the interrupt procedure iterates at the same or substantially the same rate as the transfer rate of the time based stream of information from the information source.

24. (Canceled)

25. (Original) The system of claim 20, wherein at least one of the enabled control elements is to perform side operations.

26. (Original) The system of claim 20, further including a means for presenting an edit output on the same portion of the display for presenting the capture information.

27. (Previously Presented) The system of claim 20, wherein the presenting of capture information is automatic in response to the communicating with the information source.

28. (Currently Amended) A computer readable medium having stored therein a plurality of sequences of executable instructions, which, when executed by a processing system for collecting a time based stream of information and generating a presentation, cause the processing system to:

- A) communicate with an information source having a time based stream of information;
- B) provide capture information from the time based stream of information on a portion of a display while the capture information is acquired from the information source in a capture mode, the capture mode to import the time based stream of information into the system;
- C) provide process information for constructing the presentation on the display; and
- D) provide on the display at least one enabled control element to edit the information while the time based stream of information is imported into the system.

29. (Previously Presented) The computer readable medium of claim 28, further including additional sequences of executable instructions, which, when executed by the processing system,

cause the processing system to capture the time based stream of information from the information source.

30. (Original) The computer readable medium of claim 28, wherein the capturing is by an interrupt procedure.

31. (Original) The computer readable medium of claim 30, wherein the interrupt procedure iterates at the same or substantially the same rate as the transfer rate of the time based stream of information.

32. (Canceled)

33. (Original) The computer readable medium of claim 28, wherein the at least one of the enabled control elements is to perform side operations.

34. (Original) The computer readable medium of claim 28, wherein the capture information includes a capture output provided at the same rate or substantially the same rate as the transfer rate for the time based stream of information.

35. (Previously Presented) The computer readable medium of claim 28, further including additional sequences of executable instructions, which, when executed by the processing system, cause the processing system to provide an edit output on the same portion of the display for presenting the capture information.

36. (Original) The computer readable medium of claim 28, wherein the presenting of capture information is automatic in response to the communicating with the information source.

37. (Currently Amended) A method for collecting a time based stream of information in a processing system for generating a presentation, the method comprising:

A) detecting an information source having a time based stream of information in communication with the processing system, and

B) automatically presenting capture information from the time based stream of information on a display in response to the detecting while the capture information is acquired from the information source in a capture mode, the capture mode to import the time based stream of information into the system, wherein the capture information is displayed at the same rate or substantially the same rate as the transfer rate for the time based stream of information using an interrupt procedure.

38. (Original) The method of claim 37, further including automatically checking for the information source in communication with the processing system.

39. (Previously Presented) The method of claim 37, wherein the detecting is by receiving a signal from the information source through a capture port on the processing system, and wherein the automatically presenting comprises opening a window on the display.

40. (Original) The method of claim 37, further including capturing the time based stream of information from the information source.

41. (Canceled)



42. (Currently Amended) A processing system for generating a presentation of a time based stream of information, the system comprising:

A) a capture port for acquiring the time based stream of information;

B) a display device; and

C) a processor coupled to the capture port and to the display device, the processor configured to:

- i) detect an information source having a time based stream of information in communication with the processing system, and
- ii) automatically present capture information from the time based stream of information on a display in response to detecting while the capture information is acquired from the information source in a capture mode, the capture mode to import the time based stream of information into the system, wherein the capture information is displayed at the same rate or substantially the same rate as the transfer rate for the time based stream of information using an interrupt procedure.

43. (Previously Presented) The system of claim 42, wherein the processor is further to automatically check for the information source in communication with the processing system.

44. (Previously Presented) The system of claim 42, wherein the detecting is by receiving a signal from the information source through a capture port on the processing system, and wherein the automatically presenting comprises opening a window on the display device.

45. (Previously Presented) The system of claim 42, wherein the processor is further to capture the time based stream of information from the information source.

46. (Canceled)

47. (Currently Amended) A processing system for collecting a time based stream of information to generate a presentation comprising:

A) means for detecting an information source having a time based stream of information in communication with the processing system, and

B) means for automatically presenting capture information from the time based stream of information on a display in response to detecting while the capture information is acquired from the information source in a capture mode, the capture mode to import the time based stream of information into the system, wherein the capture information is displayed at the same rate or substantially the same rate as the transfer rate for the time based stream of information using an interrupt procedure.

48. (Original) The system of claim 47, further including a means for automatically checking for the information source in communication with the processing system.

49. (Previously Presented) The system of claim 47, wherein the detecting is by receiving a signal from the information source through a capture port on the processing system, and wherein the means for automatically presenting comprises a means for opening a window on the display.

50. (Original) The system of claim 47, further including a means for capturing the time based stream of information from the information source.

51. (Canceled)

52. (Currently Amended) A computer readable medium having stored therein a plurality of sequences of executable instructions, which, when executed by a processing system for collecting a time based stream of information and generating a presentation, cause the processing system to:

A) detect an information source having a time based stream of information in communication with the processing system, and

B) automatically present capture information from the time based stream of information on a display in response to detecting while the capture information is acquired from the information source in a capture mode, the capture mode to import the time based stream of information into the system, wherein the capture information is displayed at the same rate or substantially the same rate as the

transfer rate for the time based stream of information using an interrupt procedure.

53. (Previously Presented) The computer readable medium of claim 52, further including additional sequences of executable instructions, which, when executed by the processing system, cause the processing system to automatically check for the information source in communication with the processing system.

54. (Previously Presented) The computer readable medium of claim 52, wherein the detecting is by receiving a signal from the information source through a capture port on the processing system, and wherein the automatically presenting comprises opening a window on the display.

55. (Previously Presented) The computer readable medium of claim 52, further including additional sequences of executable instructions, which, when executed by the processing system, cause the processing system to capture the time based stream of information from the information source.

56. (Canceled)

57. (Currently Amended) A method for generating a presentation of a time based stream of information in a processing system, the method comprising:

A) capturing the time based stream of information from an information source into the processing system during a capture mode;

B) presenting a capture output on a viewing portion of a display during the capture mode, wherein the presenting of the capture output is performed at the same rate

or substantially the same rate as the transfer rate for the time based stream of information using an interrupt procedure; and

- C) presenting an edit output on the viewing portion of the display during an edit mode.

58. (Canceled)

59. (Original) The method of claim 57, further including providing at least one enabled control element during the capture mode and edit mode.

60. (Original) The method of claim 59, wherein at least one of the enabled control element includes a control element perform side operations.

61. (Currently Amended) A processing system for generating a presentation of a time based stream of information, the system comprising:

- A) a capture port for acquiring the time based stream of information;
- B) a display device; and
- C) a processor coupled to the capture port and coupled to the display device, the processor configured to:
  - i) capture the time based stream of information from an information source into the processing system during a capture mode;

ii) present a capture output on a viewing portion of

a display during the capture mode, wherein the presenting of the capture output is performed at the same rate or substantially the same rate as the transfer rate for the time based stream of information using an interrupt procedure; and

iii) present an edit output on the viewing portion of the display during an edit mode.

62. (Canceled)

63. (Original) The system of claim 61, wherein the processor is further to provide at least one enabled control element during the capture mode and edit mode.

64. (Original) The system of claim 63, wherein at least one of the enabled control element is to perform side operations.

65. (Currently Amended) A processing system for collecting a time based stream of information to generate a presentation comprising:

A) means for capturing the time based stream of information from an information source into the processing system during a capture mode;

B) means for presenting a capture output on a viewing portion of a display during the capture mode, wherein the means for presenting the capture output is for presenting at the same rate or substantially the same rate as

the transfer rate for the time based stream of information by using an interrupt procedure; and

- C) means for presenting an edit output on the viewing portion of the display during an edit mode.

66. (Canceled)

67. (Original) The system of claim 65, further including a means for providing at least one enabled control element during the capture mode and edit mode.

68. (Original) The system of claim 67, wherein at least one of the enabled control element is to perform side operations.

69. (Currently Amended) A computer readable medium having stored therein a plurality of sequences of executable instructions, which, when executed by a processing system for collecting a time based stream of information and generating a presentation, cause the processing system to:

- A) capture the time based stream of information from an information source into the processing system during a capture mode;
- B) present a capture output on a viewing portion of a display during the capture mode, wherein the presenting of the capture output is performed at the same rate or substantially the same rate as the transfer rate for the time based stream of information by using an interrupt procedure; and

- C) present an edit output on the viewing portion of the display during an edit mode.

70. (Canceled)

71. (Previously Presented) The computer readable medium of claim 69, further including additional sequences of executable instructions, which, when executed by the processing system, cause the processing system to provide at least one enabled control element during the capture mode and edit mode.

72. (Original) The computer readable medium of claim 71, wherein at least one of the enabled control element is to perform side operations.

73. (Previously Presented) A method of collecting a time based stream of information from an editing window in a processing system, the method comprising:

- A) detecting the coupling of an information source to the processing system;

- B) automatically engaging a capture mode to import the time based stream of information into the system; and

- C) presenting a captured time based stream of information in the editing window while the time based stream of information is acquired from the information source in the capture mode.

74. (Canceled)



75. (Original) The method of claim 73, wherein the editing window includes a toggle control element to switch between capture and edit mode within the editing window.

76. (Previously Presented) A processing system for collecting a time based stream of information from an editing window, the system comprising:

A) a capture port for acquiring the time based stream of information;

B) a display device; and

C) a processor coupled to the capture port and coupled to the display device, the processor configured to:

i) detect the coupling of an information source to the processing system,

ii) automatically engage a capture mode to import the time based stream of information into the system, and

iii) present a captured time based stream of information in the editing window while the time based stream of information is acquired from the information source in the capture mode.

77. (Previously Presented) The system of claim 76, wherein the automatically engage is in response to the detect.

78. (Original) The system of claim 76, wherein the editing window includes a toggle control element to switch between capture and edit mode within the editing window.

79. (Previously Presented) A processing system for collecting a time based stream of information from an editing window comprising:

- A) a means for detecting the coupling of an information source to the processing system;
- B) a means for automatically engaging a capture mode to import the time based stream of information into the system; and
- C) a means for presenting a captured time based stream of information in the editing window while the time based stream of information is acquired from the information source in the capture mode.

80. (Previously Presented) The system of claim 79, wherein the automatically engaging is in response to the detecting.

81. (Original) The system of claim 79, wherein the editing window includes a toggle control element to switch between capture and edit mode within the editing window.

82. (Previously Presented) A computer readable medium having stored therein a plurality of sequences of executable instructions, which, when executed by a processing system for collecting a time based stream of information and generating a presentation, cause the processing system to:

- A) detect the coupling of an information source to the processing system;
- B) automatically engage a capture mode to import the time based stream of information into the system; and
- C) present a captured time based stream of information in the editing window while the time based stream of information is acquired from the information source in the capture mode.

83. (Previously Presented) The computer readable medium of claim 82, wherein the automatically engage is in response to the detect.

84. (Original) The computer readable medium of claim 82, wherein the editing window includes a toggle control element to switch between capture and edit mode within the editing window.